

# APPENDIX 2

*Summary Tables of the Existing Baseline Results*

*Summary of Existing Baseline and Mirrored Baseline VSC, ADF, NSL, APSH Values*

**Table A: Summary of Baseline VSC, ADF, NSL and APSH Values**

Property	Total No. of Windows that achieve VSC values >27% in Current Existing Baseline Conditions		Total No. of Windows that achieve VSC values >27% in Mirrored Baseline Conditions		Total no. of rooms that receive NSL in excess of 50% in Current Existing Baseline Conditions.		Total no. of rooms that receive NSL in excess of 50% in Mirrored Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Current Existing Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Mirrored Baseline Conditions	
	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL
21 – 30 Beaumont Crescent	32	61	32	61	37	37	37	37	2	12	2	12
31 – 38 Beaumont Crescent	27	52	27	52	32	32	32	32	8	18	8	18
39 – 46 Beaumont Crescent	28	44	28	44	24	24	24	24	10	21	10	21
47 – 54 Beaumont Crescent	30	51	29	51	32	33	32	33	8	13	8	13
11-12, 14-20 West Kensington Mansions	31	59	31	59	37	37	37	37	10	11	10	11
1 – 10 West Kensington Mansions	2	36	2	36	15	20	15	20	1	5	1	5
55-64, 65-69 West Kensington Mansions	63	112	63	112	63	63	63	63	17	27	17	27
12 Beaumont Crescent	4	13	4	13	8	8	8	8	0	6	0	6
10 Beaumont Crescent	4	14	4	14	8	8	8	8	0	6	0	6
8 Beaumont Crescent	4	13	4	13	6	7	6	7	0	0	0	0
6 Beaumont Crescent	6	16	6	16	8	10	8	10	0	0	0	0
4 Beaumont Crescent	9	18	9	18	8	9	8	9	0	0	0	0
2 Beaumont Crescent	7	23	7	23	11	14	11	14	0	1	0	1
205 North End Road	10	30	10	30	19	20	19	20	3	5	3	5
5 Beaumont Crescent	0	4	0	4	1	4	1	4	0	0	0	0
7 Beaumont Crescent	3	15	3	15	9	9	9	9	0	7	0	7
21 – 35 Kensington Hall Gardens	20	64	11	64	41	49	35	49	11	19	10	19
11 – 20 Kensington Hall Gardens	25	78	13	78	42	55	33	55	7	24	6	24
1 – 10 Kensington Hall Gardens	58	94	31	94	43	48	37	48	23	44	21	44
46 – 55 Kensington Hall Gardens	46	91	25	91	48	50	42	50	12	25	12	25
36 – 45 Kensington Hall Gardens	13	49	13	49	24	33	24	33	9	22	9	22
183 – 185 North End Road	11	16	10	16	14	15	14	15	0	0	0	0
90 North End Road	3	4	3	4	4	4	4	4	0	0	0	0
88 North End Road	4	4	3	4	4	4	4	4	0	0	0	0
86 North End Road	9	9	9	9	6	6	6	6	0	0	0	0
1 Barons Court Road	18	18	18	18	3	3	3	3	0	0	0	0
84 North End Road	9	9	9	9	6	6	6	6	0	0	0	0
82 North End Road	9	9	9	9	6	6	6	6	0	0	0	0
80 North End Road (test windows)	9	9	9	9	6	6	6	6	0	0	0	0
78 North End Road	12	12	12	12	3	3	3	3	0	0	0	0
Famous 3 Kings PH	11	16	6	16	13	13	8	13	5	5	5	5
West Kensington Court	217	271	183	271	234	234	222	234	244	256	237	256
1 – 30 Falkland House	76	125	64	125	99	99	99	99	113	125	110	125
19 Mornington Avenue (street elevation)	11	18	11	18	11	14	11	14	13	18	13	18
21 – 35 Mornington Ave (street elevation)	35	37	33	37	24	24	24	24	32	35	32	35
17 Mornington Ave (street elevation)	12	14	12	14	9	9	9	9	14	14	14	14
22 Mornington Ave (street elevation)	12	23	12	23	8	9	8	9	23	23	23	23
24 Mornington Ave (street elevation)	13	28	13	28	8	14	8	14	21	28	21	28
26(1-5) Mornington Ave (street elevation)	22	54	22	54	13	13	13	13	47	54	47	54
28-30(6-16) Mornington Ave (street elevation)	35	94	31	94	22	22	22	22	63	91	63	91
29 – 31 Mornington Ave (derelict)	26	27	26	27	18	18	18	18	27	27	27	27
28 – 30 Mornington Ave (rear elevation)	4	31	4	31	22	27	22	27	12	20	12	20
Gloucester (test windows – 1 <sup>st</sup> & 2 <sup>nd</sup> floors)	4	8	4	8	4	5	4	5	6	8	6	8
26 Mornington Ave (rear elevation)	4	8	4	8	8	8	8	8	0	0	0	0
Tesco Supermarket (flats above)	36	58	36	58	44	44	44	44	52	58	52	58
76 Longridge Road	48	63	48	63	30	30	30	30	55	63	55	63
121 Warwick Road	7	13	6	13	9	10	9	10	8	11	8	11
119 Warwick Road	4	11	4	11	8	10	8	10	6	9	6	9
75 Longridge Road	20	39	20	39	20	20	20	20	20	31	20	31
70 Philbeach Gardens	2	11	2	11	6	6	6	6	0	0	0	0
69 Philbeach Gardens	7	16	7	16	10	10	10	10	0	0	0	0
68 Philbeach Gardens	12	18	10	18	8	8	8	8	0	0	0	0
67 Philbeach Gardens	11	18	9	18	10	10	10	10	0	0	0	0
66 Philbeach Gardens	14	21	11	21	10	10	10	10	2	2	2	2
65 Philbeach Gardens	10	18	7	18	7	8	7	8	0	0	0	0

**Table A: Summary of Baseline VSC, ADF, NSL and APSH Values**

Property	Total No. of Windows that achieve VSC values >27% in Current Existing Baseline Conditions		Total No. of Windows that achieve VSC values >27% in Mirrored Baseline Conditions		Total no. of rooms that receive NSL in excess of 50% in Current Existing Baseline Conditions.		Total no. of rooms that receive NSL in excess of 50% in Mirrored Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Current Existing Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Mirrored Baseline Conditions	
	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL
64 Philbeach Gardens	11	16	8	16	7	7	7	7	0	0	0	0
63 Philbeach Gardens	21	25	16	25	9	9	9	9	2	2	2	2
62 Philbeach Gardens	20	23	14	23	9	9	8	9	0	0	0	0
61 Philbeach Gardens	18	27	12	27	12	12	12	12	1	1	1	1
60 Philbeach Gardens	18	27	11	27	8	10	8	10	2	2	2	2
59 Philbeach Gardens	15	25	11	25	11	11	11	11	6	9	6	9
58 Philbeach Gardens	15	18	10	18	11	11	11	11	0	0	0	0
57 Philbeach Gardens	12	18	9	18	11	13	11	13	2	4	2	4
St Cuthberts Church	48	61	39	61	2	3	2	3	31	61	31	61
Philbeach Hall	23	38	23	38	20	20	20	20	29	38	29	38
49 Philbeach Gardens	13	22	9	22	11	12	10	12	15	22	15	22
48 Philbeach Gardens	10	14	9	14	11	12	11	12	9	13	9	13
47 Philbeach Gardens	13	17	9	17	11	11	10	11	16	17	16	17
46 Philbeach Gardens	15	21	10	21	12	12	11	12	16	21	14	21
45 Philbeach Gardens	12	17	6	17	10	10	9	10	17	17	15	17
44 Philbeach Gardens	11	15	8	15	11	11	10	11	13	15	10	15
43 Philbeach Gardens	10	16	6	16	11	11	11	11	16	16	14	16
42 Philbeach Gardens	11	16	8	16	11	11	10	11	13	14	11	14
41 Philbeach Gardens	12	17	8	17	11	11	10	11	17	17	14	17
40 Philbeach Gardens	11	16	9	16	10	10	10	10	15	16	11	16
39 Philbeach Gardens	12	19	8	19	11	11	10	11	18	19	17	19
38 Philbeach Gardens	14	19	10	19	12	13	10	13	17	19	14	19
37 Philbeach Gardens	14	21	9	21	12	12	10	12	19	21	18	21
36 Philbeach Gardens	9	15	7	15	12	12	11	12	12	12	10	12
35 Philbeach Gardens	5	10	4	10	9	9	9	9	10	10	9	10
33 – 34 Philbeach Gardens	24	39	16	39	24	24	18	24	38	39	27	39
32 Philbeach Gardens	19	31	13	31	12	13	10	13	21	29	15	29
30 – 31 Philbeach Gardens	21	36	9	36	19	20	18	20	31	36	27	36
29 Philbeach Gardens	14	21	9	21	11	12	11	12	17	20	17	20
26 Philbeach Gardens	6	14	5	14	9	10	9	10	11	14	12	14
25 Philbeach Gardens	8	18	7	18	11	11	11	11	15	18	15	18
24 Philbeach Gardens	9	19	9	19	9	10	9	10	16	19	16	19
23 Philbeach Gardens	10	26	10	26	10	11	10	11	16	23	17	23
22 Philbeach Gardens	2	14	2	14	6	10	7	10	6	14	6	14
21 Philbeach Gardens	4	23	4	23	8	11	8	11	11	23	11	23
20 Philbeach Gardens	3	16	3	16	8	10	8	10	8	16	8	16
19 Philbeach Gardens	2	26	2	26	7	11	8	11	9	26	9	26
18 Philbeach Gardens	1	17	1	17	7	11	7	11	5	16	5	16
17 Philbeach Gardens	2	31	2	31	7	12	7	12	7	31	7	31
16 Philbeach Gardens	3	22	3	22	6	11	6	11	5	21	5	21
15 Philbeach Gardens	1	23	2	23	8	11	8	11	7	23	7	23
14 Philbeach Gardens	1	16	1	16	7	10	7	10	6	16	6	16
13 Philbeach Gardens	3	19	3	19	7	11	7	11	11	19	12	19
12 Philbeach Gardens	5	25	5	25	8	12	8	12	8	23	8	23
11 Philbeach Gardens	4	14	4	14	6	11	7	11	9	14	9	14
10 Philbeach Gardens	3	13	3	13	5	11	7	11	6	12	6	12
9 Philbeach Gardens	4	27	4	27	7	12	7	12	9	27	12	27
8 Philbeach Gardens	1	19	1	19	5	10	5	10	6	19	7	19
7 Philbeach Gardens	3	16	3	16	7	10	7	10	10	16	10	16
6 Philbeach Gardens	2	13	2	13	8	11	8	11	6	12	7	12
5 Philbeach Gardens	5	24	5	24	7	14	7	14	12	24	12	24
4 Philbeach Gardens	4	27	4	27	10	13	10	13	14	24	14	24
3 Philbeach Gardens	4	18	4	18	10	13	10	13	11	18	11	18
2 Philbeach Gardens	3	20	3	20	10	11	10	11	10	18	10	18
1 Philbeach Gardens	18	64	19	64	29	29	29	29	50	64	50	64

**Table A: Summary of Baseline VSC, ADF, NSL and APSH Values**

Property	Total No. of Windows that achieve VSC values >27% in Current Existing Baseline Conditions		Total No. of Windows that achieve VSC values >27% in Mirrored Baseline Conditions		Total no. of rooms that receive NSL in excess of 50% in Current Existing Baseline Conditions.		Total no. of rooms that receive NSL in excess of 50% in Mirrored Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Current Existing Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Mirrored Baseline Conditions	
	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL
53 Warwick Road (test windows)	6	15	6	15	15	15	15	15	15	15	15	15
110 Philbeach Gardens	9	19	9	19	8	10	8	10	13	17	13	17
109 Philbeach Gardens	8	21	8	21	10	10	10	10	16	21	16	21
108 Philbeach Gardens	8	21	8	21	9	10	9	10	14	19	14	19
107 Philbeach Gardens	8	19	8	19	8	9	8	9	15	19	15	19
106 Philbeach Gardens	8	21	8	21	10	10	10	10	15	19	15	19
105 Philbeach Gardens	9	21	9	21	9	10	9	10	13	21	13	21
104 Philbeach Gardens	8	21	8	21	10	10	10	10	14	19	14	19
103 Philbeach Gardens	8	21	8	21	9	10	9	10	14	21	14	21
102 Philbeach Gardens	8	21	8	21	9	10	9	10	14	19	14	19
101 Philbeach Gardens	8	22	8	22	9	11	9	11	13	20	13	20
100 Philbeach Gardens	8	21	8	21	10	10	10	10	14	19	14	19
99 Philbeach Gardens	8	21	8	21	10	10	10	10	14	21	14	21
98 Philbeach Gardens	10	35	10	35	10	16	10	16	14	34	14	34
97 Philbeach Gardens	8	18	8	18	9	11	9	11	12	18	12	18
96 Philbeach Gardens	8	19	8	19	9	10	9	10	14	19	14	19
95 Philbeach Gardens	8	18	8	18	9	11	9	11	12	18	12	18
94 Philbeach Gardens	8	24	8	24	10	10	10	10	12	24	12	24
93 Philbeach Gardens	8	21	8	21	10	11	10	11	13	20	13	20
92 Philbeach Gardens	10	23	10	23	10	10	10	10	17	23	17	23
91 Philbeach Gardens	9	23	9	23	10	10	10	10	16	23	16	23
90 Philbeach Gardens	10	22	10	22	10	10	10	10	17	22	17	22
89 Philbeach Gardens	9	23	9	23	10	11	10	11	17	22	17	22
88 Philbeach Gardens	18	45	18	45	18	18	18	18	30	45	30	45
86 Philbeach Gardens	9	26	9	26	9	11	9	11	15	26	15	26
85 Philbeach Gardens	8	25	8	25	11	12	11	12	17	23	17	23
84 Philbeach Gardens	8	27	8	27	11	12	11	12	14	25	14	25
83 Philbeach Gardens	8	20	8	20	10	11	10	11	13	20	13	20
77 Philbeach Gardens (Beach House)	44	108	44	108	59	59	59	59	55	86	55	86
76 Philbeach Gardens	9	26	9	26	14	14	14	14	5	11	5	11
75 Philbeach Gardens	10	24	10	24	14	15	14	15	4	13	4	13
74 Philbeach Gardens	10	28	10	28	14	14	14	14	7	14	7	14
73 Philbeach Gardens	10	28	10	28	14	15	14	15	2	8	2	8
72 Philbeach Gardens	10	31	10	31	15	15	15	15	1	8	1	8
71 Philbeach Gardens	10	29	10	29	13	13	13	13	0	8	0	8
55 – 66 Warwick Road	44	96	44	96	36	36	36	36	81	96	81	96
38 Warwick Road (modelled to survey)	9	19	9	19	8	9	8	9	11	15	11	15
36 Warwick Road (modelled to survey)	8	15	8	15	6	7	6	7	12	15	12	15
34 Warwick Road (modelled to survey)	8	15	8	15	6	7	6	7	11	15	11	15
32 Warwick Road	11	18	11	18	8	9	8	9	15	18	15	18
30 Warwick Road	20	33	20	33	12	13	12	13	28	33	28	33
75 Eardley Crescent	6	11	6	11	8	10	8	10	0	3	0	3
73 Eardley Crescent	7	15	7	15	9	9	9	9	0	5	0	5
71 Eardley Crescent	9	14	9	14	10	13	10	13	0	4	0	4
69 Eardley Crescent	8	16	8	16	9	12	9	12	0	0	0	0
67 Eardley Crescent	9	20	9	20	14	15	14	15	0	4	0	4
65 Eardley Crescent	4	12	4	12	7	10	7	10	2	4	2	4
63 Eardley Crescent	2	15	2	15	7	9	7	9	0	0	0	0
61 Eardley Crescent	0	9	0	9	4	8	4	8	0	2	0	2
59 Eardley Crescent	1	9	1	9	2	9	2	9	0	0	0	0
57 Eardley Crescent	0	11	0	11	2	9	2	9	0	2	0	2
55 Eardley Crescent	0	8	0	8	2	8	2	8	0	0	0	0
53 Eardley Crescent (rear balconies)	4	21	4	21	9	12	8	12	4	7	4	7
51 Eardley Crescent (rear balconies)	4	21	4	21	9	12	9	12	3	4	3	4
49 Eardley Crescent	2	17	2	17	3	12	2	12	0	2	0	2

**Table A: Summary of Baseline VSC, ADF, NSL and APSH Values**

Property	Total No. of Windows that achieve VSC values >27% in Current Existing Baseline Conditions		Total No. of Windows that achieve VSC values >27% in Mirrored Baseline Conditions		Total no. of rooms that receive NSL in excess of 50% in Current Existing Baseline Conditions.		Total no. of rooms that receive NSL in excess of 50% in Mirrored Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Current Existing Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Mirrored Baseline Conditions	
	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL
47 Eardley Crescent	0	11	0	11	6	9	6	9	0	0	0	0
45 Eardley Crescent	1	16	1	16	4	11	4	11	2	8	2	8
43 Eardley Crescent	0	14	0	14	6	9	6	9	0	0	0	0
41 Eardley Crescent	3	17	3	17	6	10	5	10	3	4	3	4
39 Eardley Crescent	0	11	0	11	5	8	4	8	0	0	0	0
31 Eardley Crescent	1	12	1	12	4	10	4	10	4	12	4	12
29 Eardley Crescent	2	21	1	21	5	10	5	10	12	21	12	21
27 Eardley Crescent	1	14	1	14	5	10	5	10	6	14	6	14
25 Eardley Crescent	5	13	5	13	6	9	6	9	13	13	13	13
23 Eardley Crescent	3	14	3	14	5	10	5	10	9	14	9	14
21 Eardley Crescent	5	15	4	15	6	10	6	10	11	15	11	15
19 Eardley Crescent	4	14	4	14	9	12	9	12	7	11	7	11
17 Eardley Crescent	6	12	5	12	9	10	9	10	9	12	9	12
15 Eardley Crescent	8	14	8	14	12	13	12	13	10	14	10	14
13 Eardley Crescent	6	15	6	15	10	11	10	11	6	12	6	12
11 Eardley Crescent	5	9	4	9	9	9	9	9	8	9	7	9
9 Eardley Crescent	6	16	5	16	11	12	9	12	9	15	4	15
7 Eardley Crescent	7	14	4	14	10	10	9	10	14	14	13	14
5 Eardley Crescent	8	9	2	9	7	7	6	7	9	9	7	9
3 Eardley Crescent	17	23	10	23	9	9	9	9	18	23	11	23
1 Eardley Crescent	6	16	4	16	13	16	9	16	7	12	5	12
50 Eardley Crescent	7	11	7	11	8	10	8	10	1	1	1	1
52 Eardley Crescent	6	12	6	12	9	10	9	10	0	0	0	0
54 Eardley Crescent	6	13	6	13	9	10	9	10	1	1	1	1
56 Eardley Crescent	6	12	6	12	9	10	9	10	0	0	0	0
58 Eardley Crescent	8	16	8	16	13	14	13	14	0	0	0	0
51 Warwick Road	8	11	8	11	7	7	7	7	4	5	4	5
28 Warwick Road	4	5	4	5	5	5	5	5	0	0	0	0
344 – 346 Old Brompton Road	3	11	2	11	7	7	7	7	2	6	1	6
348 Old Brompton Road	4	7	3	7	7	7	7	7	0	0	0	0
350 Old Brompton Road	4	5	3	5	5	5	5	5	0	0	0	0
1 – 9 Lillie Bridge Road	23	45	23	45	22	25	22	25	0	0	0	0
4 Lillie Bridge Road	6	7	5	7	7	7	7	7	0	0	0	0
6 Lillie Bridge Road	7	7	7	7	6	6	6	6	0	0	0	0
Prince of Wales (PH)	25	43	25	43	32	32	32	32	12	14	12	14
7 Empress Place	10	14	10	14	12	13	12	13	5	8	5	8
9 Empress Place	10	17	9	17	13	14	13	14	5	8	5	8
11 Empress Place	10	22	9	22	14	15	14	15	5	13	5	13
13 Empress Place	10	17	8	17	14	15	14	15	4	9	4	9
15 Empress Place	10	17	8	17	14	16	14	16	5	8	5	8
17 Empress Place	14	27	14	27	17	17	17	17	8	16	8	16
14 Empress Place	8	17	8	17	12	13	11	13	8	11	7	11
12 Empress Place	11	22	8	22	13	14	11	14	8	14	8	14
10 Empress Place	10	14	8	14	10	12	10	12	6	6	6	6
8 Empress Place	10	15	9	15	12	13	11	13	10	10	7	10
6 Empress Place	11	19	9	19	12	13	10	13	11	12	7	12
4 Empress Place	9	16	8	16	14	15	12	15	6	9	4	9
2 Empress Place	3	16	3	16	12	13	12	13	2	7	2	7
16 Lillie Bridge Road (PH)	11	11	11	11	6	6	6	6	7	8	7	8
20 Lillie Bridge Road	0	2	0	2	2	2	2	2	0	0	0	0
22 Lillie Bridge Road	7	7	7	7	6	6	6	6	0	0	0	0
24 Lillie Bridge Road	4	4	4	4	4	4	4	4	0	0	0	0
26 Lillie Bridge Road	4	4	1	4	3	3	3	3	0	0	0	0
17 Lillie Bridge Road	26	43	26	43	10	10	10	10	2	37	2	37
19 Lillie Bridge Road (PH)	5	7	5	7	4	5	4	5	4	4	4	4

**Table A: Summary of Baseline VSC, ADF, NSL and APSH Values**

Property	Total No. of Windows that achieve VSC values >27% in Current Existing Baseline Conditions		Total No. of Windows that achieve VSC values >27% in Mirrored Baseline Conditions		Total no. of rooms that receive NSL in excess of 50% in Current Existing Baseline Conditions.		Total no. of rooms that receive NSL in excess of 50% in Mirrored Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Current Existing Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Mirrored Baseline Conditions	
	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL
7 Brompton Villas	3	4	3	4	3	3	3	3	0	0	0	0
8 Brompton Villas	3	4	3	4	3	3	3	3	0	0	0	0
9 Brompton Villas	3	4	3	4	3	3	3	3	0	0	0	0
28 Lillie Bridge Road	5	16	3	16	11	12	11	12	0	4	0	4
30 Lillie Bridge Road	5	14	5	14	9	9	9	9	1	8	1	8
32 Lillie Bridge Road	3	10	3	10	9	10	9	10	0	0	0	0
34 Lillie Bridge Road	1	11	1	11	7	8	7	8	0	3	0	3
36 Lillie Bridge Road	0	11	0	11	6	8	6	8	0	0	0	0
38 Lillie Bridge Road	2	10	2	10	8	9	8	9	2	2	2	2
40 – 42 Lillie Bridge Road	8	37	8	37	21	27	21	27	3	16	3	16
44 Lillie Bridge Road	1	15	1	15	5	12	5	12	0	0	0	0
46 Lillie Bridge Road	2	10	2	10	4	7	4	7	0	6	0	0
48 Lillie Bridge Road	1	8	1	8	6	8	6	8	0	0	0	0
50 Lillie Bridge Road	9	16	9	16	9	9	9	9	2	11	2	11
52 Lillie Bridge Road	5	15	5	15	9	12	9	12	0	0	0	0
54 Lillie Bridge Road	4	15	4	15	9	11	9	11	0	7	0	7
56 Lillie Bridge Road	6	9	6	9	7	7	7	7	0	3	0	3
58 Lillie Bridge Road	7	9	7	9	6	6	6	6	0	0	0	0
60 Lillie Bridge Road	5	11	5	11	9	9	9	9	0	2	0	2
62 Lillie Bridge Road	17	26	17	26	19	19	19	19	6	9	6	9
64 Lillie Bridge Road	6	10	6	10	9	9	9	9	0	0	0	0
66 Lillie Bridge Road	9	12	9	12	10	10	10	10	0	0	0	0
68 Lillie Bridge Road	9	9	9	9	9	9	9	9	0	0	0	0
1 – 47 Beaufort Court	91	100	50	100	90	90	81	90	4	8	4	8
Block A, Peabody Estate	34	39	18	39	38	38	38	38	0	0	0	0
Block B, Peabody Estate	33	39	22	39	38	38	38	38	0	0	0	0
Block C, Peabody Estate	30	39	26	39	38	38	38	38	0	0	0	0
234 North End Road	2	4	2	4	2	2	2	2	0	0	0	0
232 North End Road	2	4	2	4	2	2	2	2	0	0	0	0
230 North End Road	3	6	3	6	2	2	2	2	0	0	0	0
228 North End Road	3	6	3	6	2	2	2	2	5	6	5	6
226 North End Road	2	4	2	4	2	2	2	2	0	0	0	0
224 North End Road	2	4	2	4	2	2	2	2	0	0	0	0
222 North End Road	2	4	2	4	2	2	2	2	0	0	0	0
220 North End Road	6	6	6	6	2	2	2	2	6	6	6	6
218 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
216 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
214 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
212 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
210 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
208 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
206 North End Road	8	8	8	8	2	2	2	2	0	0	0	0
204 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
202 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
200 North End Road	6	7	6	7	4	4	4	4	0	0	0	0
198 North End Road	5	5	5	5	3	3	3	3	0	0	0	0
196 North End Road	0	2	0	2	1	1	1	1	0	0	0	0
194 North End Road	6	6	6	6	2	2	2	2	0	0	0	0
192 North End Road	3	3	3	3	2	2	2	2	2	2	2	2
190 North End Road	8	8	8	8	4	4	4	4	8	8	8	8
188 North End Road	4	4	4	4	2	2	2	2	0	0	0	0
186 North End Road	4	5	4	5	3	3	3	3	0	0	0	0
180 North End Road	4	5	4	5	2	2	2	2	0	0	0	0
1 – 50 Kelway House	96	156	96	156	83	84	83	84	80	99	80	99
11 May Street	5	8	5	8	8	8	8	8	0	3	0	3

**Table A: Summary of Baseline VSC, ADF, NSL and APSH Values**

Property	Total No. of Windows that achieve VSC values >27% in Current Existing Baseline Conditions		Total No. of Windows that achieve VSC values >27% in Mirrored Baseline Conditions		Total no. of rooms that receive NSL in excess of 50% in Current Existing Baseline Conditions.		Total no. of rooms that receive NSL in excess of 50% in Mirrored Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Current Existing Baseline Conditions		Total No. of Windows that achieve 25% total APSH and 5% APSH between 21 September and 21 March in Mirrored Baseline Conditions	
	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL	PASS	TOTAL
84a Lillie Road (test windows)	4	8	4	8	7	7	7	7	0	0	0	0
84b Lillie Road (test windows)	1	6	1	6	4	6	4	6	0	0	0	0
84c Lillie Road (test windows)	1	6	1	6	3	6	3	6	0	0	0	0
84d Lillie Road (test windows)	1	6	1	6	4	6	4	6	0	0	0	0
86 Lillie Road (test windows)	1	6	1	6	3	6	3	6	0	0	0	0
86a Lillie Road (test windows)	3	4	3	4	2	2	2	2	0	0	0	0
86b Lillie Road (test windows)	2	4	2	4	2	2	2	2	0	0	0	0
86c Lillie Road (test windows)	2	4	2	4	2	2	2	2	0	0	0	0
86d Lillie Road (test windows)	0	2	0	2	2	2	2	2	0	0	0	0
311 North End Road (test windows)	0	2	0	2	2	2	2	2	0	0	0	0
309 North End Road (test windows)	1	2	1	2	2	2	2	2	0	0	0	0
307 North End Road (test windows)	3	4	3	4	4	4	4	4	0	0	0	0
305 North End Road (test windows)	2	2	2	2	2	2	2	2	0	0	0	0
303 North End Road (test windows)	3	4	3	4	4	4	4	4	0	0	0	0
301 North End Road (test windows)	3	5	3	5	5	5	5	5	0	0	0	0
299 North End Road (test windows)	3	5	3	5	4	5	4	5	0	0	0	0
297 North End Road (test windows)	2	5	2	11	5	5	5	5	0	0	0	0
<b>Total</b>	<b>3154</b>	<b>6274</b>	<b>2764</b>	<b>6280</b>	<b>3479</b>	<b>3860</b>	<b>3388</b>	<b>3860</b>	<b>2621</b>	<b>3815</b>	<b>2539</b>	<b>3815</b>